


Specialized Factory for Steel Products  
SIGMA Factory for Steel Products



# STEEL LINTELS CATALOGUE



[www.ikkgroup.com](http://www.ikkgroup.com)

# INDEX

## Steel Lintels Catalogue

About SFSP


4

Steel Lintels

19

Locations

42



[www.sfsp-ikk.com](http://www.sfsp-ikk.com)



# ABOUT SFSP



Specialized/Sigma Factory for Steel Products (SFSP) was first established in KSA in 1989 and has been expanding ever since through a variety of products and through its geographical presence. Production at the factory is observed using modern practices of manufacturing methods in the steel construction industry with a definite compliance to international standards of fabrication.

SFSP has manufacturing facilities in KSA, UAE, Egypt, and Lebanon. SFSP adapts quickly and easily to market demands and requirements. The factory is operating a top of the line production machinery, fully automated with highest technology to ensure quality and maintain speed with delicacy.

Quality at SFSP is uncompromised; the factories have been able to acquire ISO 9001: 2015 Quality Management System, ISO 14001:2015 Environmental Management certified factory, and OHSAS 18001:2015 Occupational, Health and Safety Management factory.

## HOT-DIP GALVANIZATION

SFSP has an in-house state of the art Hot-Dip Galvanization facility, which permits a full control of the quality of its finished products, offering better services to its clients globally.







## Specialized Factory for Steel Products Co. Ltd

[www.sfsp-ikk.com](http://www.sfsp-ikk.com)

Specialized Factory for Steel Products Co., Ltd, which is part of Isam Khairi Kabbani Group of companies is a leading fabricator of steel construction products serving the kingdom of Saudi Arabia since 1989.

The factory operates under TQM ISO modules, using the latest modern technology in the steel fabrication and manufacturing industry in conformity with International standards for safety and in compliance with the environmental regulations in the Kingdom.

The factory has inaugurated its new manufacturing facilities which is located in the 3rd Industrial Area of Jeddah with a total built facilities of 37,000 squared meters.



The facilities include two manufacturing areas, a hot dip galvanization advanced section, warehousing areas and administrative building. The project is an advanced environmental low emissions factory built with a definite consideration of the safety of its workers and visitors.





**Specialized Factory for Steel Products Co. Ltd**  
**Sigma Factory for Steel Products**  
[www.sfsp-ikk.com](http://www.sfsp-ikk.com)

## TECHNICAL SERVICES

A crucial factor in the job of a factory is to provide continuous technical services and consultations. That's why SFSP has invested in a professional team of researchers and specialists.


SFSP has recruited brilliant graduates and experienced engineers having the appropriate know on the on latest technology changes and development in the steel building materials industry.

The product range is developed and updated according to the relevant standards of fabrication across markets, whilst the business processes are evaluated to achieve maximum efficiency.

### SFSP R&D Core Objectives

- Carry out responsibilities effectively in a safe and healthy work environment.
- Develop and implement research programs relevant to the products and solutions introduced and ensure that the results are communicated clearly in-house and among the clients , concisely and accurately.

## DESIGN AND ENGINEERING OFFICE - GERMANY



Unitech Deutschland GmbH is the design and engineering office of Unitech for Building and Construction Materials and is situated in Stuttgart, Germany.

# Proof for Steel Cable Tray or Cable Trunking

(DIN 18 800 for Steel)

SNR

MCT-090-0190-1,20-1,20

Type: (R) - (W) - (S) - (span)

allowed Types of side heights:

RFL, RFO, CFI and CTO: YES

STR: NO

Sec 1:

Load on C-Tray / Trunking

calculated as an continuous beam

$\Phi = 1,2 \text{ m}$

Distance of Supports

Load on Cable Tray

S	1,20
L	1,74
L	2,00

Cable Tray

Sec 1:

W	1,00
S	60
L	1,20

\*\* Center Load only possible for W < 200mm !!

SN	Mechanical Properties	Equations	Figures	unit
1	Type of materials used	$\sigma_{10} \leq \sigma_{10,25}$	S 235 JR02	
2	Allow. 0.2 Yield Stress up to 50°C	$R_{0,2} = F_{0,2} / A$	21,82	N/mm <sup>2</sup>
3	Allow. Shear Stress		12,80	N/mm <sup>2</sup>
4	Allow. Deflection	$\delta / 200 =$	6,90	mm
5	Modulus of Elasticity		21.000	N/mm <sup>2</sup>

## Applied Loads

1	Distance of Supports	S =	120,00	cm
2	Self Weight Cable	$G_{k,c}$	1,74	N/mm
3	Self Weight Cable Tray	$G_{k,ct} <$	0,82	N/mm
4	Self Weight	$G_{k,c} + G_{k,ct} = G_{k,t}$	1,76	N/mm

## SOCIAL RESPONSIBILITY

Being socially responsible is a part of who we are and how we do our business. We aim to provide useful products and services, to provide jobs and development opportunities for our communities, and to gain satisfaction through meaningful work.

We make a difference by acting on the values and principles of our societies and we inspire others to do so. At SFSP, we anticipate and reduce threats caused by environmental changes or natural disasters, and we are well adapted to significant social changes.

We contribute to a more sustainable society by means of value and support to our consumers, supply chains, and stakeholders. We are keen to identify ways they can improve our impacts on the people and places we work and live in, and thereby become more valuable and valued members of society.

- Organizational governance: We promote accountability and transparency at all levels, thus, promoting responsibility
- Human care: We treat individuals with respect; and make efforts to help members of vulnerable groups
- Labor practices: We provide just, safe and favorable conditions to workers
- Environment: At SFSP, we identify and improve environmental impacts of our operations, including the resource use of natural resources and waste disposal.



- Fair operating practices: Practicing accountability and fairness in dealings with other businesses

At SFSP, we are committed to continuous improvement ongoing learning, process review and innovative thinking that foster new initiatives; and better practices. Our environmental programs evolve to meet today's changing needs while; protecting resources for future generations.

## HEALTH AND SAFETY

The Factory Management regard the health and safety of the employees, clients and all others that may be affected by their operations to be of a major importance.

In support of this, the management promotes health and safety throughout the Factory's operations and endeavour to engender a positive attitude in all employees towards the prevention of accidents and maintenance of healthy working arrangements.

The Factory satisfies the requirements of the Health, Safety and related legislation by setting out the responsibilities of all levels of staff and the arrangements for carrying out those responsibilities and in particular do what is reasonably practicable to:

1. Maintains safe & healthy working conditions.

2. Ensures that all facilities and equipment are safe and properly maintained.
3. Provides products that can be applied and used safely and without risk to health.
4. Provides and maintain working procedures, that are safe and without risk to health, throughout the its operations in respect of:
  - The use, handling, storage, transports and disposal of materials and substances.
  - The use of factory equipment.
  - Potential emergency situations, including first aid, fire and escape of substances.
5. Ensure the competence of employees.

**The factory is an OHSAS 18001:2007 Occupational, Health and Safety Management certified Factory.**





## ENVIRONMENTAL AWARENESS

### SFSP is committed to the following:

- Compliance with all statutory and regulatory requirements related to its activities, products and services and the environmental aspects.
- Identifying quality and environmental objectives by review and audit of the processes both in-house and on-site.
- Formally setting objectives based on the results of the process reviews and their significance in relation to their impact on the environment and the continual improvement of the quality and environmental management system.
- Implementing management programs to achieve these objectives.
- Investing in a well-trained and motivated workforce.
- Working closely with suppliers and customers to ensure mutual understanding and benefits of the environmental aspects consideration.
- Reviewing our policy and objectives as part of the Management Review Process.
- Communicating this policy to all persons working for or on behalf of the organization.
- Preventing and minimizing Pollution to the environment.



SFSP operates under environmental management system certification BS EN ISO 14001:2004 and maintain it through registration and annual review.




SFSP facilities are equipped with the most technologically advanced machinery amongst are Laser Cut Machines, Robot Bending Sets, Welding Robot Sets, sophisticated Cable Management Production Lines, as well as Specialized Industrial Sections for its Hot Dip Galvanization facilities.



## CNC MACHINES



WELDING  
ROBOT  
SETS



CNC  
PUNCHING



FIBER LASER  
CUT



ROBOTIC  
BENDING  
CELL



# SFSP CERTIFICATION

**ISO 14001 Certified**  
(Environment Management System)

**ISO 18001 Certified**  
(Health & Safety Management system)



**ISO 9001 certified**  
(Quality Management System)





# CERTIFICATE

Issued to:  
Applicant:  
Isam Kabbani Trading Est. (Unitech)  
Rashidiya  
Dubai, United Arab Emirates

Manufacturer/Licensee:  
Sigma Factory for Steel Products (SFSP)  
Saiih Shuaib 3, 4R/A, Dubai Industrial City,  
Dubai, United Arab Emirates

Product : Cable management system  
Trade name : SFSP  
Types : IE-CT-X-10, IE-CT-X-12, IE-CT-X-15, IE-CT-X-20

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard BS EN 61537:2007 based on IEC 61537:2006
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 2156954

DEKRA hereby grants the right to use the KEMA-KEUR BS certification mark.

The KEMA-KEUR BS certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR BS certification agreement and under the conditions of the KEMA-KEUR BS certification agreement.

This certificate is issued on: 3 February, 2014 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 2156954.02

DEKRA Certification B.V.

drs. G.J. Zoetbrood  
Managing Director

H.R.M. Barends  
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE  
DUTCH ACCREDITATION  
COUNCIL





## CERTIFICATE OF COMPLIANCE

Certificate Number 20160816-E483358  
Report Reference E483358-20160816  
Issue Date 2016-AUGUST-16

Issued to: Sigma Factory for Steel Products  
Saih Shuaib 3, 4 R/A Dubai Industrial City  
Opposite DEWA Substation  
Dubai UNITED ARAB EMIRATES

This is to certify that  
representative samples of

CABLE TRAYS

Steel Channel Cable Tray, Ventilated, Heavy Duty (HCT),  
Very Heavy Duty (VCT) cable trays.


Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

Standard(s) for Safety:  
Additional Information:

ANSI/NFPA 70, "National Electrical Code" (NEC)


See the ULC Online Certification Directory at [www.ulc.ca](http://www.ulc.ca)  
for additional information

Only those products bearing the ULC Listing Mark should be considered as being covered by ULC's  
Listing and Follow-Up Service.

The ULC Listing Mark generally includes the following elements: the symbol ULC in a circle;  with  
the word "LISTED"; a control number (may be alphanumeric) assigned by ULC; and the product  
category name (product identifier) as indicated in the appropriate ULC Directory.

To confirm the status, validate the above information via the online directory.

Look for the ULC Listing Mark on the product.



Joseph Hossy, General Manager, Director of Sales - Canada  
UNDERWRITERS LABORATORIES OF CANADA INC.

Any information and documentation involving ULC Mark services are provided on behalf of Underwriters Laboratories of Canada Inc. (ULC) or any authorized  
licensee of ULC. For questions, please contact a local ULC Customer Service Representative at <http://ul.com/about/locations>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170811-R38825  
**Report Reference** R38825-20170811  
**Issue Date** 2017-AUGUST-11

**Issued to:** Sigma Factory for Steel Products  
 Saih Shuaib 3, 4 R/A Dubai Industrial City  
 Opposite DEWA Substation  
 Dubai UNITED ARAB EMIRATES


**This is to certify that representative samples of** CHUTE-TYPE FIRE DOORS  
 Chute-type fire door and frame assembly of the insulated type, rated up to and including 2 hr, 450°F Temperature Rise Rating.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** ANSI/UL 10B, Fire Tests of Door Assemblies  
**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
 UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>






## SFSP PRODUCTS

SFSP produces a variety of products ranging from cable management systems; cable trays, cable ladders, basket trays, trunkings and support systems, to mechanical cladding fixations, steel lintels and block work accessories, Plaster beads, expanded metal and block work reinforcement, strut channel systems, pipe clamps & hangers, gypsum profiles as well as garbage and linen chutes. With the introduction of new machines and the enhancement of production methods, SFSP continues to develop its production methods systematically as well as thoroughly. Its design office in Stuttgart, Germany provides a comprehensive design and calculation case studies, enabling the factory to have the safety factors required for the usage of its products.

### Cable Trays & Accessories

Cable Trays are designed to meet most requirements of cable and electrical wire installations and comply to local and international standards of fabrications and finishes.




### Cable Ladders (Welded & Swaged)

Cable Ladders of different side heights are available upon request.



### Basket Trays & Accessories

SFSP's Basket Tray systems make connections fast and simple with limited need for tools. Its design allows for continuous airflow, and prevents heating up of cables. SFSP's Basket Tray comes in a full range of sizes and is made with high-strength welded steel wires.




### Cable Trunkings

Cable Trunkings and Accessories are offered in a comprehensive range. Mill galvanized, hot-dip galvanized, and powder coated are the various finishes produced in our factories.



### Underfloor Trunking

Underfloor Trunking Systems solutions incorporate a range of products for the distribution of power and data services, it is a coordinated set of containments that protect, segregate, contain, and route cables within a given environment.





### Cable Management Support Systems

Cable Support Systems are well designed to provide necessary support for cable trays, cable ladders and trunkings. Cable supports are manufactured according to common standards from high quality raw materials.



### C-Channel Strut Systems

SFSP's Metal Framing Systems provide an economical solution for electrical, mechanical and industrial supports with a wide variety of applications in the construction industry.

Applications: - Pipe and Conduit Supports - Tunnel Pipe Stanchions - Racks and Shelvings - Wall Framings.



### Expanded Metals, Plasterers' Beads

Expanded Metals help the formation of joints, protection of corners and resistance against cracks, chips and impact damage.

### Block Ladder Reinforcement

SFSP ladder and truss types are used for the reinforcement of brick and block masonry to give improved tensile strength to walls subjected to lateral loading e.g. wind and seismic. SFSP block reinforcements reduces the risk of cracking either at stress concentration around opening.


### Steel Lintels & Block Work Accessories

Steel Lintels provide a combination of strength and light weight, resulting in efficient load bearing performance and increased productivity on site. They are characterized by their ease of installation in addition to time as well as money saving.



### Pipe Clamps & Hangers

Pipe Clamps and Hangers from SFSP used in the support of pipes and equipments are manufactured according to the highest standards of fabrication. A diversified choice of Pipe Hangers, Pipe Clamps, EMT Straps, Omega Clamps, Beam Clamps, J and U-Bolts and Threaded Accessories.



### Marble & Granite Fixings

Stangle Cladding Fixation includes design, calculation and production of several types of mechanical fixings and accessories used for cladding purposes. Stainless and galvanized steel are among the various materials used in the fabrication.



### Dry Wall & Ceiling Profiles

SFSP provides a complete product range for dry wall and ceiling constructions. Studs, Runners, Furring Channels, Ceiling Channels and Wall Angles are among the range of products produced to service the dry wall installers.



### Garbage & Linen Chutes

Chutes from SFSP are very convenient, simple and low cost method of controlling and disposing of refuse and linen. Chutes meet the most stringent requirements of environmental health and safety. Chutes are used as original equipment in new buildings, such as : Hotels, Hospitals, High Rises and Residential Towers.







SFSP Products are solely distributed by UNITECH for Building and Construction Materials

All Products Manufactured by SFSP are Solely Distributed by SFSP Sister Companies in the Following Countries

#### KSA

**Isam Kabbani & Partners for Building and Construction Materials Co., Ltd.**

شركة عصام قباني وشركاه لمواد الإنشاء والتعمير المحدودة

#### BAHRAIN

**Isam Kabbani Trading Est.**

مؤسسة عصام قباني التجارية

#### UAE

**Issam Kabbani Trading Est.**

مؤسسة عصام قباني للتجارة

#### KUWAIT

**Hassan Kabbani for General Contracting Est.**

مؤسسة حسان قباني للمقاولات العامة للمباني

#### OMAN

**Isam Kabbani & Partners Trading Co.**

شركة عصام قباني وشركاه للتجارة

#### EGYPT

**UNITECH Egypt for Building Materials**

شركة يونيتك مصر لمواد البناء

#### JORDAN

**Jordan Build Co. for Building & Construction Materials**

شركة بناء الأردن لمواد الإنشاء والتعمير والكهرباء

#### LEBANON

**UNITECH ME s.a.r.l**

شركة يونيتك ميدل إيست ش.م.م

#### SFSP CUSTOMER SERVICE CALL CENTER

#### KSA

+966 13 8590097, Ext. 3214

#### UAE

+971 4 8181925, Ext. 4269



## IKK

### Group of Companies

The IKK Group is a major business institution, serving most of the Arab World in the industrial, construction and trading fields, as well as in specialized maintenance and services.

Today, the IKK Group of Companies is a pioneer in waterproofing, weatherproofing, building material supplies, UPVC and CPVC and high density polyethylene pipes and fittings and several other products for the construction industry.

The Group is also represented in the sanitary products, steel production, kitchen manufacturing, telecommunications, food, decoration, re-insurance and real estate business domain.

Composed of 60 companies, the IKK Group operates through almost 200 divisions, branches and outlets; it is spread over 12 countries, covering all major cities in the region and employing around 13,000 employees.

**Our vision** is to maintain and improve our leading position as a contractor whose reputation is built on the ability to completely satisfy customers by providing high quality services. As specialists in their respective fields, our teams of professionals are dedicated to a standard of excellence for quality and performance, through continuous development, which will set standards in our industry.

We are simply providing solutions for a future of success.

**Our mission** is to provide our part of the Arab World with local and reliable services in a variety of sectors and products.

To create employment to thousands of personnel and in-house training for hundreds of young Arab graduates in crucial sectors to the benefit of the IKK Group, the graduates themselves and their own communities.

To set a good example of our basic business philosophy: "Hire well, train well, pay well and treat well."

## UNITECH

### ISAM KABBANI & PARTNERS FOR BUILDING & CONSTRUCTION MATERIALS


Isam Kabbani & Partners for buildings & construction materials co. Ltd (UNITECH) which is part of the IKK group of companies is recognized and acknowledged for the quality and reliability of its products and services as well as for the commitment, professionalism and experience of its employees.

Isam Kabbani & partners for buildings & construction materials co. Ltd (UNITECH) core values are to offer value products and services to its clients, to work closely with them in a lasting business partnership that provides an outstanding performance.

A partnership based on trust, harmony, and a hard to beat services and solutions.

Our Factories have acquired, in addition to ISO 9001:2008 Quality Management System, the ISO 14001:2004 Environmental Management System.

Our care for the environment has been translated via Isam Kabbani & partners for buildings & construction materials co. Ltd (UNITECH)'s membership in the US Green Building Council as a Golden Member.



# STEEL LINTELS



[www.sfsp-ikk.com](http://www.sfsp-ikk.com)

# STEEL LINTELS

Steel Lintels provide a combination of strength and light weight, resulting in efficient load bearing performance and increased productivity on site. They are characterized by their ease of installation in addition to time as well as money saving.

Calculations are provided by our design office in Stuttgart, Germany.

SFSP manufactures Steel Lintel in accordance with:

- BS EN 845-2:2013+A1:2016

Relevant Standards

- BS 5977 Part 2:1983

Finishing


- Galvanized Steel according to BS EN 10346:2015

- Hot Dipped Galvanized according to BS EN ISO 1461:2009

- Stainless Steel according to BS EN 10088-2:2014

## MATERIAL

- Hot rolled steel S235JR as per EN 10025 / ASTM A-1011 CS Type B (formerly ASTM A569 or ASTM A570)
- Cold rolled steel DC01 as per EN 10130:2006 / ASTM A1008 CS Type B (formerly ASTM A-366)






# CHANNEL LINTELS

## UML 100/50


Working Load Tables



Lintel Code	UML 100/50-2	UML 100/50-3	UML 100/50-4
Sheet Thickness (mm)	2.0	3.0	4.0
Length in meters	Uniformly Distributed Loads (kN/m)		
0.90 - 1.20	0.44	1.5	2.55
1.30 - 1.50	0.29	1.0	1.70
1.60 - 1.80	0.20	0.72	1.10
1.90 - 2.10	0.14	0.52	0.68
2.20 - 2.40	0.10	0.33	0.43

## UML 100/75


Working Load Tables



Lintel Code	UML 100/75-4
Sheet Thickness (mm)	4.0
Length in meters	Uniformly Distributed Loads (kN/m)
0.90 - 1.20	3.55
1.30 - 1.50	2.40
1.60 - 1.80	1.70
1.90 - 2.10	1.28
2.20 - 2.40	0.98

## UML 150/50


Working Load Tables



Lintel Code	UML 150/50-2	UML 150/50-3	UML 150/50-4
Sheet Thickness (mm)	2.0	3.0	4.0
Length in meters	Uniformly Distributed Loads (kN/m)		
0.90 - 1.20	0.44	1.5	2.65
1.30 - 1.50	0.28	1.0	1.76
1.60 - 1.80	0.20	0.72	1.24
1.90 - 2.10	0.14	0.55	0.74
2.20 - 2.40	0.10	0.35	0.47

## UML 150/75

Working Load Tables




Lintel Code	UML 150/75-4
Sheet Thickness (mm)	4.0
Length in meters	Uniformly Distributed Loads (kN/m)
0.90 - 1.20	3.60
1.30 - 1.50	2.40
1.60 - 1.80	1.73
1.90 - 2.10	1.28
2.20 - 2.40	0.98

Safety Factor is at 135%

## UML 200/50


### Working Load Tables



Lintel Code	UML 200/50-2	UML 200/50-3	UML 200/50-4
Sheet Thickness (mm)	2.0	3.0	4.0
Length in meters	Uniformly Distributed Loads (kN/m)		
0.90 - 1.20	0.42	1.50	2.70
1.30 - 1.50	0.28	1.0	1.80
1.60 - 1.80	0.19	0.70	1.25
1.90 - 2.10	0.13	0.52	0.78
2.20 - 2.40	0.09	0.40	0.49

## UML 200/75


### Working Load Tables



Lintel Code	UML 200/75-4
Sheet Thickness (mm)	4.0
Length in meters	Uniformly Distributed Loads (kN/m)
0.90 - 1.20	3.60
1.30 - 1.50	2.40
1.60 - 1.80	1.73
1.90 - 2.10	1.28
2.20 - 2.40	0.98

## UML 250/50


### Working Load Tables



Lintel Code	UML 250/50-2	UML 250/50-3	UML 250/50-4
Sheet Thickness (mm)	2.0	3.0	4.0
Length in meters	Uniformly Distributed Loads (kN/m)		
0.90 - 1.20	0.43	1.50	2.70
1.30 - 1.50	0.26	1.0	1.80
1.60 - 1.80	0.18	0.70	1.28
1.90 - 2.10	0.13	0.52	0.80
2.20 - 2.40	0.09	0.38	0.50

## UML 250/75

### Working Load Tables




Lintel Code	UML 250/75-4
Sheet Thickness (mm)	4.0
Length in meters	Uniformly Distributed Loads (kN/m)
0.90 - 1.20	3.63
1.30 - 1.50	2.45
1.60 - 1.80	1.73
1.90 - 2.10	1.25
2.20 - 2.40	0.98


Safety Factor is at 135%

# LINTELS INSTALLATION IN MINUTES

Comparison of installation times of a Uni-Metal steel lintel and a conventional concrete cast in-situ lintel.



One man can carry the lintel



Lintel is placed in position



Continuation of block work can be carried out immediately



Before laying the blocks down on lintel, place a temporary support beneath the lintel to provide support and to prevent deflection. Temporary support can be removed after the mortar sets, (approximately in 3 to 5 hours).




**Total installation time: 6 minutes**



Vertical frame work erected, end secured and horizontal level taken

## Concrete Cast - On site Installation



Commencement of lintel form work



Continuation of form work



Completion of lintel after steel reinforcement and pouring of concrete





**Total installation time: 48 minutes**

In the time taken to install just one concrete lintel, eight Uni-Metal lintels could have been installed...





## ARCH LINTELS

Item Number	Description	Dimensions (mm)	Material
SOLI_F_00049863	Arch Lintel	320x250x75x2.00	GI (Galvanized Steel)
SOLI_F_00049881	Arch Lintel	420x250x75x2.00	GI (Galvanized Steel)
SOLI_F_00071177	Arch Lintel	520x200x75x2.00	GI (Galvanized Steel)
SOLI_F_00049899	Arch Lintel	520x250x75x2.00	GI (Galvanized Steel)
SOLI_F_00049917	Arch Lintel	620x250x75x2.00	GI (Galvanized Steel)
SOLI_F_00049943	Arch Lintel	920x250x75x2.00	GI (Galvanized Steel)
SOLI_F_00054859	Arch Lintel	200x50x3.00x2500	Hot Dip Galvanized



## LINTELS BRACKETS

Brackets are supplied with fixing holes to suit metal expansion anchor sizes as specified below.



Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00050293	Lintel Straight Perforated	100	100	1.80	1300	GI (Galvanized Steel)
SOLI_F_00039638	Lintel Straight Perforated	100	100	1.80	1400	GI (Galvanized Steel)
SOLI_F_00060931	Lintel Straight Perforated	100	100	1.80	1500	GI (Galvanized Steel)
SOLI_F_00065949	Lintel Straight Perforated	100	100	2.50	1600	GI (Galvanized Steel)
SOLI_F_00065929	Lintel Straight Perforated	100	100	2.50	1800	GI (Galvanized Steel)
SOLI_F_00081689	Lintel Straight Perforated	100	100	2.50	2000	GI (Galvanized Steel)
SOLI_F_00065941	Lintel Straight Perforated	100	100	2.50	2200	GI (Galvanized Steel)
SOLI_F_00063931	Lintel Straight Perforated	100	100	2.80	2200	GI (Galvanized Steel)
SOLI_F_00063707	Lintel Straight Perforated	100	100	2.80	2300	GI (Galvanized Steel)
SOLI_F_00063715	Lintel Straight Perforated	100	100	2.80	2400	GI (Galvanized Steel)
SOLI_F_00063723	Lintel Straight Perforated	100	100	2.80	2600	GI (Galvanized Steel)
SOLI_F_00008672	Lintel Straight Perforated	100	100	3.0	2400	GI (Galvanized Steel)
SOLI_F_00082195	Lintel Straight Perforated	100	100	3.0	2650	GI (Galvanized Steel)
SOLI_F_00097895	Lintel Straight Perforated	100	100	3.80	2400	GI (Galvanized Steel)
SOLI_F_00095765	Lintel Straight Perforated	100	100	4.00	2400	GI (Galvanized Steel)
SOLI_F_00004056	Lintel Straight Perforated	100	50	1.50	1000	GI (Galvanized Steel)
SOLI_F_00004448	Lintel Straight Perforated	100	50	1.50	1100	GI (Galvanized Steel)
SOLI_F_00004496	Lintel Straight Perforated	100	50	1.50	1200	GI (Galvanized Steel)
SOLI_F_00045990	Lintel Straight Perforated	100	50	1.50	1300	GI (Galvanized Steel)
SOLI_F_00004592	Lintel Straight Perforated	100	50	1.50	1400	GI (Galvanized Steel)
SOLI_F_00004784	Lintel Straight Perforated	100	50	1.50	1500	GI (Galvanized Steel)
SOLI_F_00059401	Lintel Straight Perforated	100	50	1.50	4010	GI (Galvanized Steel)
SOLI_F_00059393	Lintel Straight Perforated	100	50	1.50	4020	GI (Galvanized Steel)
SOLI_F_00059409	Lintel Straight Perforated	100	50	1.50	4210	GI (Galvanized Steel)
SOLI_F_00004088	Lintel Straight Perforated	100	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00050377	Lintel Straight Perforated	100	50	1.80	1050	GI (Galvanized Steel)
SOLI_F_00004456	Lintel Straight Perforated	100	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00050369	Lintel Straight Perforated	100	50	1.80	1150	GI (Galvanized Steel)
SOLI_F_00004504	Lintel Straight Perforated	100	50	1.80	1200	GI (Galvanized Steel)
SOLI_F_00104459	Lintel Straight Perforated	100	50	1.80	1240	GI (Galvanized Steel)
SOLI_F_00050355	Lintel Straight Perforated	100	50	1.80	1250	GI (Galvanized Steel)
SOLI_F_00004552	Lintel Straight Perforated	100	50	1.80	1300	GI (Galvanized Steel)
SOLI_F_00096105	Lintel Straight Perforated	100	50	1.80	1350	GI (Galvanized Steel)
SOLI_F_00004600	Lintel Straight Perforated	100	50	1.80	1400	GI (Galvanized Steel)
SOLI_F_00096113	Lintel Straight Perforated	100	50	1.80	1450	GI (Galvanized Steel)
SOLI_F_00004792	Lintel Straight Perforated	100	50	1.80	1500	GI (Galvanized Steel)
SOLI_F_00042310	Lintel Straight Perforated	100	50	1.80	1550	GI (Galvanized Steel)
SOLI_F_00004840	Lintel Straight Perforated	100	50	1.80	1600	GI (Galvanized Steel)
SOLI_F_00068673	Lintel Straight Perforated	100	50	1.80	1650	GI (Galvanized Steel)
SOLI_F_00004888	Lintel Straight Perforated	100	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00095565	Lintel Straight Perforated	100	50	1.80	1800	GI (Galvanized Steel)
SOLI_F_00004984	Lintel Straight Perforated	100	50	1.80	1900	GI (Galvanized Steel)
SOLI_F_00005024	Lintel Straight Perforated	100	50	1.80	2000	GI (Galvanized Steel)
SOLI_F_00005072	Lintel Straight Perforated	100	50	1.80	2100	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005120	Lintel Straight Perforated	100	50	1.80	2200	GI (Galvanized Steel)
SOLI_F_00005168	Lintel Straight Perforated	100	50	1.80	2300	GI (Galvanized Steel)
SOLI_F_00005216	Lintel Straight Perforated	100	50	1.80	2400	GI (Galvanized Steel)
SOLI_F_00005272	Lintel Straight Perforated	100	50	1.80	2500	GI (Galvanized Steel)
SOLI_F_00005320	Lintel Straight Perforated	100	50	1.80	2600	GI (Galvanized Steel)
SOLI_F_00005368	Lintel Straight Perforated	100	50	1.80	2700	GI (Galvanized Steel)
SOLI_F_00005416	Lintel Straight Perforated	100	50	1.80	2800	GI (Galvanized Steel)
SOLI_F_00005486	Lintel Straight Perforated	100	50	1.80	2900	GI (Galvanized Steel)
SOLI_F_00005534	Lintel Straight Perforated	100	50	1.80	3000	GI (Galvanized Steel)
SOLI_F_00077201	Lintel Straight Perforated	100	50	1.80	750	GI (Galvanized Steel)
SOLI_F_00063907	Lintel Straight Perforated	100	50	1.80	800	GI (Galvanized Steel)
SOLI_F_00047540	Lintel Straight Perforated	100	50	1.80	850	GI (Galvanized Steel)
SOLI_F_00051229	Lintel Straight Perforated	100	50	1.80	900	GI (Galvanized Steel)
SOLI_F_00004072	Lintel Straight Perforated	100	50	2.00	1000	GI (Galvanized Steel)
SOLI_F_00004464	Lintel Straight Perforated	100	50	2.00	1100	GI (Galvanized Steel)
SOLI_F_00107777	Lintel Straight Perforated	100	50	2.00	1150	GI (Galvanized Steel)
SOLI_F_00004512	Lintel Straight Perforated	100	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00042476	Lintel Straight Perforated	100	50	2.00	1250	GI (Galvanized Steel)
SOLI_F_00004560	Lintel Straight Perforated	100	50	2.00	1300	GI (Galvanized Steel)
SOLI_F_00042468	Lintel Straight Perforated	100	50	2.00	1350	GI (Galvanized Steel)
SOLI_F_00004608	Lintel Straight Perforated	100	50	2.00	1400	GI (Galvanized Steel)
SOLI_F_00082179	Lintel Straight Perforated	100	50	2.00	1440	GI (Galvanized Steel)
SOLI_F_00073995	Lintel Straight Perforated	100	50	2.00	1450	GI (Galvanized Steel)
SOLI_F_00004800	Lintel Straight Perforated	100	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00060027	Lintel Straight Perforated	100	50	2.00	1550	GI (Galvanized Steel)
SOLI_F_00060257	Lintel Straight Perforated	100	50	2.00	1600	GI (Galvanized Steel)
SOLI_F_00042492	Lintel Straight Perforated	100	50	2.00	1650	GI (Galvanized Steel)
SOLI_F_00004896	Lintel Straight Perforated	100	50	2.00	1700	GI (Galvanized Steel)
SOLI_F_00004944	Lintel Straight Perforated	100	50	2.00	1800	GI (Galvanized Steel)
SOLI_F_00004992	Lintel Straight Perforated	100	50	2.00	1900	GI (Galvanized Steel)
SOLI_F_00005032	Lintel Straight Perforated	100	50	2.00	2000	GI (Galvanized Steel)
SOLI_F_00005080	Lintel Straight Perforated	100	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00005128	Lintel Straight Perforated	100	50	2.00	2200	GI (Galvanized Steel)
SOLI_F_00005176	Lintel Straight Perforated	100	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00005224	Lintel Straight Perforated	100	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00005280	Lintel Straight Perforated	100	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00005328	Lintel Straight Perforated	100	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00005376	Lintel Straight Perforated	100	50	2.00	2700	GI (Galvanized Steel)
SOLI_F_00005424	Lintel Straight Perforated	100	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00005494	Lintel Straight Perforated	100	50	2.00	2900	GI (Galvanized Steel)
SOLI_F_00005542	Lintel Straight Perforated	100	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00081649	Lintel Straight Perforated	100	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00081665	Lintel Straight Perforated	100	50	2.00	750	GI (Galvanized Steel)
SOLI_F_00081681	Lintel Straight Perforated	100	50	2.00	800	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00042484	Lintel Straight Perforated	100	50	2.00	950	GI (Galvanized Steel)
SOLI_F_00004080	Lintel Straight Perforated	100	50	2.50	1000	GI (Galvanized Steel)
SOLI_F_00004472	Lintel Straight Perforated	100	50	2.50	1100	GI (Galvanized Steel)
SOLI_F_00004520	Lintel Straight Perforated	100	50	2.50	1200	GI (Galvanized Steel)
SOLI_F_00004568	Lintel Straight Perforated	100	50	2.50	1300	GI (Galvanized Steel)
SOLI_F_00004616	Lintel Straight Perforated	100	50	2.50	1400	GI (Galvanized Steel)
SOLI_F_00004808	Lintel Straight Perforated	100	50	2.50	1500	GI (Galvanized Steel)
SOLI_F_00004856	Lintel Straight Perforated	100	50	2.50	1600	GI (Galvanized Steel)
SOLI_F_00004904	Lintel Straight Perforated	100	50	2.50	1700	GI (Galvanized Steel)
SOLI_F_00004952	Lintel Straight Perforated	100	50	2.50	1800	GI (Galvanized Steel)
SOLI_F_00005000	Lintel Straight Perforated	100	50	2.50	1900	GI (Galvanized Steel)
SOLI_F_00005040	Lintel Straight Perforated	100	50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00005088	Lintel Straight Perforated	100	50	2.50	2100	GI (Galvanized Steel)
SOLI_F_00005136	Lintel Straight Perforated	100	50	2.50	2200	GI (Galvanized Steel)
SOLI_F_00051757	Lintel Straight Perforated	100	50	2.50	2300	GI (Galvanized Steel)
SOLI_F_00005240	Lintel Straight Perforated	100	50	2.50	2400	GI (Galvanized Steel)
SOLI_F_00005288	Lintel Straight Perforated	100	50	2.50	2500	GI (Galvanized Steel)
SOLI_F_00005336	Lintel Straight Perforated	100	50	2.50	2600	GI (Galvanized Steel)
SOLI_F_00005384	Lintel Straight Perforated	100	50	2.50	2700	GI (Galvanized Steel)
SOLI_F_00005432	Lintel Straight Perforated	100	50	2.50	2800	GI (Galvanized Steel)
SOLI_F_00005502	Lintel Straight Perforated	100	50	2.50	2900	GI (Galvanized Steel)
SOLI_F_00005550	Lintel Straight Perforated	100	50	2.50	3000	GI (Galvanized Steel)
SOLI_F_00004272	Lintel Straight Perforated	100	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00004488	Lintel Straight Perforated	100	50	3.00	1100	GI (Galvanized Steel)
SOLI_F_00042422	Lintel Straight Perforated	100	50	3.00	1150	GI (Galvanized Steel)
SOLI_F_00004536	Lintel Straight Perforated	100	50	3.00	1200	GI (Galvanized Steel)
SOLI_F_00004584	Lintel Straight Perforated	100	50	3.00	1300	GI (Galvanized Steel)
SOLI_F_00004632	Lintel Straight Perforated	100	50	3.00	1400	GI (Galvanized Steel)
SOLI_F_00004824	Lintel Straight Perforated	100	50	3.00	1500	GI (Galvanized Steel)
SOLI_F_00004872	Lintel Straight Perforated	100	50	3.00	1600	GI (Galvanized Steel)
SOLI_F_00004912	Lintel Straight Perforated	100	50	3.00	1700	GI (Galvanized Steel)
SOLI_F_00004968	Lintel Straight Perforated	100	50	3.00	1800	GI (Galvanized Steel)
SOLI_F_00005016	Lintel Straight Perforated	100	50	3.00	1900	GI (Galvanized Steel)
SOLI_F_00005056	Lintel Straight Perforated	100	50	3.00	2000	GI (Galvanized Steel)
SOLI_F_00005096	Lintel Straight Perforated	100	50	3.00	2100	GI (Galvanized Steel)
SOLI_F_00005152	Lintel Straight Perforated	100	50	3.00	2200	GI (Galvanized Steel)
SOLI_F_00005200	Lintel Straight Perforated	100	50	3.00	2300	GI (Galvanized Steel)
SOLI_F_00005256	Lintel Straight Perforated	100	50	3.00	2400	GI (Galvanized Steel)
SOLI_F_00005304	Lintel Straight Perforated	100	50	3.00	2500	GI (Galvanized Steel)
SOLI_F_00005344	Lintel Straight Perforated	100	50	3.00	2600	GI (Galvanized Steel)
SOLI_F_00005400	Lintel Straight Perforated	100	50	3.00	2700	GI (Galvanized Steel)
SOLI_F_00005448	Lintel Straight Perforated	100	50	3.00	2800	GI (Galvanized Steel)
SOLI_F_00005518	Lintel Straight Perforated	100	50	3.00	2900	GI (Galvanized Steel)
SOLI_F_00005566	Lintel Straight Perforated	100	50	3.00	3000	GI (Galvanized Steel)



Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00058223	Lintel Straight Perforated	100	50	4.0	1200	GI (Galvanized Steel)
SOLI_F_00004640	Lintel Straight Perforated	100	50	4.0	1400	GI (Galvanized Steel)
SOLI_F_00004832	Lintel Straight Perforated	100	50	4.0	1500	GI (Galvanized Steel)
SOLI_F_00004880	Lintel Straight Perforated	100	50	4.0	1600	GI (Galvanized Steel)
SOLI_F_00004928	Lintel Straight Perforated	100	50	4.0	1700	GI (Galvanized Steel)
SOLI_F_00004976	Lintel Straight Perforated	100	50	4.0	1800	GI (Galvanized Steel)
SOLI_F_00004064	Lintel Straight Perforated	100	50	4.0	1900	GI (Galvanized Steel)
SOLI_F_00005064	Lintel Straight Perforated	100	50	4.0	2000	GI (Galvanized Steel)
SOLI_F_00005112	Lintel Straight Perforated	100	50	4.0	2100	GI (Galvanized Steel)
SOLI_F_00005160	Lintel Straight Perforated	100	50	4.0	2200	GI (Galvanized Steel)
SOLI_F_00005208	Lintel Straight Perforated	100	50	4.0	2300	GI (Galvanized Steel)
SOLI_F_00005264	Lintel Straight Perforated	100	50	4.0	2400	GI (Galvanized Steel)
SOLI_F_00005312	Lintel Straight Perforated	100	50	4.0	2500	GI (Galvanized Steel)
SOLI_F_00005360	Lintel Straight Perforated	100	50	4.0	2600	GI (Galvanized Steel)
SOLI_F_00005408	Lintel Straight Perforated	100	50	4.0	2700	GI (Galvanized Steel)
SOLI_F_00005456	Lintel Straight Perforated	100	50	4.0	2800	GI (Galvanized Steel)
SOLI_F_00005526	Lintel Straight Perforated	100	50	4.0	2900	GI (Galvanized Steel)
SOLI_F_00005574	Lintel Straight Perforated	100	50	4.0	3000	GI (Galvanized Steel)
SOLI_F_00114191	Lintel Straight Perforated	100	60	3.0	1250	GI (Galvanized Steel)
SOLI_F_00007236	Lintel Straight Perforated	100	75	1.80	1300	GI (Galvanized Steel)
SOLI_F_00007268	Lintel Straight Perforated	100	75	1.80	1400	GI (Galvanized Steel)
SOLI_F_00096325	Lintel Straight Perforated	100	75	1.80	1500	GI (Galvanized Steel)
SOLI_F_00007276	Lintel Straight Perforated	100	75	1.80	1600	GI (Galvanized Steel)
SOLI_F_00007292	Lintel Straight Perforated	100	75	1.80	1700	GI (Galvanized Steel)
SOLI_F_00007300	Lintel Straight Perforated	100	75	1.80	1800	GI (Galvanized Steel)
SOLI_F_00048486	Lintel Straight Perforated	100	75	2.00	1200	GI (Galvanized Steel)
SOLI_F_00007428	Lintel Straight Perforated	100	75	2.00	1300	GI (Galvanized Steel)
SOLI_F_00007372	Lintel Straight Perforated	100	75	2.00	1311	GI (Galvanized Steel)
SOLI_F_00007524	Lintel Straight Perforated	100	75	2.00	1400	GI (Galvanized Steel)
SOLI_F_00007452	Lintel Straight Perforated	100	75	2.00	1500	GI (Galvanized Steel)
SOLI_F_00096129	Lintel Straight Perforated	100	75	2.00	1600	GI (Galvanized Steel)
SOLI_F_00052545	Lintel Straight Perforated	100	75	2.00	1800	GI (Galvanized Steel)
SOLI_F_00082187	Lintel Straight Perforated	100	75	2.00	2000	GI (Galvanized Steel)
SOLI_F_00007532	Lintel Straight Perforated	100	75	2.00	2200	GI (Galvanized Steel)
SOLI_F_00007540	Lintel Straight Perforated	100	75	2.00	2500	GI (Galvanized Steel)
SOLI_F_00054661	Lintel Straight Perforated	100	75	2.00	2700	GI (Galvanized Steel)
SOLI_F_00007548	Lintel Straight Perforated	100	75	2.00	2800	GI (Galvanized Steel)
SOLI_F_00112499	Lintel Straight Perforated	100	75	2.00	3000	GI (Galvanized Steel)
SOLI_F_00053599	Lintel Straight Perforated	100	75	2.5	1200	GI (Galvanized Steel)
SOLI_F_00053587	Lintel Straight Perforated	100	75	2.5	1500	GI (Galvanized Steel)
SOLI_F_00007764	Lintel Straight Perforated	100	75	2.5	1700	GI (Galvanized Steel)
SOLI_F_00007572	Lintel Straight Perforated	100	75	2.5	1800	GI (Galvanized Steel)
SOLI_F_00007580	Lintel Straight Perforated	100	75	2.5	1900	GI (Galvanized Steel)
SOLI_F_00052537	Lintel Straight Perforated	100	75	2.5	2200	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00054669	Lintel Straight Perforated	100	75	2.50	2800	GI (Galvanized Steel)
SOLI_F_00058115	Lintel Straight Perforated	100	75	3.00	1280	GI (Galvanized Steel)
SOLI_F_00058139	Lintel Straight Perforated	100	75	3.00	1290	GI (Galvanized Steel)
SOLI_F_00007980	Lintel Straight Perforated	100	75	3.00	1400	GI (Galvanized Steel)
SOLI_F_00058131	Lintel Straight Perforated	100	75	3.00	1430	GI (Galvanized Steel)
SOLI_F_00081869	Lintel Straight Perforated	100	75	3.00	1450	GI (Galvanized Steel)
SOLI_F_00008252	Lintel Straight Perforated	100	75	3.00	1500	GI (Galvanized Steel)
SOLI_F_00081843	Lintel Straight Perforated	100	75	3.00	1600	GI (Galvanized Steel)
SOLI_F_00073987	Lintel Straight Perforated	100	75	3.00	1950	GI (Galvanized Steel)
SOLI_F_00007988	Lintel Straight Perforated	100	75	3.00	2000	GI (Galvanized Steel)
SOLI_F_00008140	Lintel Straight Perforated	100	75	3.00	2050	GI (Galvanized Steel)
SOLI_F_00065911	Lintel Straight Perforated	100	75	3.00	2100	GI (Galvanized Steel)
SOLI_F_00073979	Lintel Straight Perforated	100	75	3.00	2250	GI (Galvanized Steel)
SOLI_F_00007940	Lintel Straight Perforated	100	75	3.00	2400	GI (Galvanized Steel)
SOLI_F_00060281	Lintel Straight Perforated	100	75	3.00	2500	GI (Galvanized Steel)
SOLI_F_00008156	Lintel Straight Perforated	100	75	3.00	3000	GI (Galvanized Steel)
SOLI_F_00058123	Lintel Straight Perforated	100	75	3.00	840	GI (Galvanized Steel)
SOLI_F_00100309	Lintel Straight Perforated	100	75	3.70	3000	GI (Galvanized Steel)
SOLI_F_00096063	Lintel Straight Perforated	100	75	3.80	1300	GI (Galvanized Steel)
SOLI_F_00094969	Lintel Straight Perforated	100	75	3.80	1650	GI (Galvanized Steel)
SOLI_F_00062781	Lintel Straight Perforated	100	75	3.80	1700	GI (Galvanized Steel)
SOLI_F_00078403	Lintel Straight Perforated	100	80	3.80	2250	GI (Galvanized Steel)
SOLI_F_00093821	Lintel Straight Perforated	100	80	3.00	2250	GI (Galvanized Steel)
SOLI_F_00081859	Lintel Straight Perforated	100	90	3.00	1560	GI (Galvanized Steel)
SOLI_F_00095693	Lintel Straight Perforated	140	100	2.50	2500	GI (Galvanized Steel)
SOLI_F_00095669	Lintel Straight Perforated	140	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00095677	Lintel Straight Perforated	140	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00095685	Lintel Straight Perforated	140	75	2.50	2000	GI (Galvanized Steel)
SOLI_F_00059709	Lintel Straight Perforated	150	100	2.00	2000	GI (Galvanized Steel)
SOLI_F_00052573	Lintel Straight Perforated	150	100	2.50	2700	GI (Galvanized Steel)
SOLI_F_00096993	Lintel Straight Perforated	150	100	3.00	1200	GI (Galvanized Steel)
SOLI_F_00096977	Lintel Straight Perforated	150	100	3.00	1700	GI (Galvanized Steel)
SOLI_F_00082623	Lintel Straight Perforated	150	100	3.00	2000	GI (Galvanized Steel)
SOLI_F_00056587	Lintel Straight Perforated	150	100	3.00	2200	GI (Galvanized Steel)
SOLI_F_00072981	Lintel Straight Perforated	150	100	3.00	2400	GI (Galvanized Steel)
SOLI_F_00089151	Lintel Straight Perforated	150	100	4.00	2200	GI (Galvanized Steel)
SOLI_F_00058159	Lintel Straight Perforated	150	100	4.00	2220	GI (Galvanized Steel)
SOLI_F_00058439	Lintel Straight Perforated	150	100	4.00	2220	GI (Galvanized Steel)
SOLI_F_00082639	Lintel Straight Perforated	150	150	3.00	2400	GI (Galvanized Steel)
SOLI_F_00005582	Lintel Straight Perforated	150	50	1.50	1000	GI (Galvanized Steel)
SOLI_F_00007180	Lintel Straight Perforated	150	50	1.50	1100	GI (Galvanized Steel)
SOLI_F_00005638	Lintel Straight Perforated	150	50	1.50	1200	GI (Galvanized Steel)
SOLI_F_00005646	Lintel Straight Perforated	150	50	1.50	1300	GI (Galvanized Steel)
SOLI_F_00005654	Lintel Straight Perforated	150	50	1.50	1400	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005662	Lintel Straight Perforated	150	50	1.50	1500	GI (Galvanized Steel)
SOLI_F_00005670	Lintel Straight Perforated	150	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00007188	Lintel Straight Perforated	150	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00006190	Lintel Straight Perforated	150	50	1.80	1200	GI (Galvanized Steel)
SOLI_F_00047244	Lintel Straight Perforated	150	50	1.80	1250	GI (Galvanized Steel)
SOLI_F_00006198	Lintel Straight Perforated	150	50	1.80	1300	GI (Galvanized Steel)
SOLI_F_00006206	Lintel Straight Perforated	150	50	1.80	1400	GI (Galvanized Steel)
SOLI_F_00006214	Lintel Straight Perforated	150	50	1.80	1500	GI (Galvanized Steel)
SOLI_F_00092297	Lintel Straight Perforated	150	50	1.80	1550	GI (Galvanized Steel)
SOLI_F_00006222	Lintel Straight Perforated	150	50	1.80	1600	GI (Galvanized Steel)
SOLI_F_00042322	Lintel Straight Perforated	150	50	1.80	1650	GI (Galvanized Steel)
SOLI_F_00006230	Lintel Straight Perforated	150	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00051237	Lintel Straight Perforated	150	50	1.80	1720	GI (Galvanized Steel)
SOLI_F_00006246	Lintel Straight Perforated	150	50	1.80	1900	GI (Galvanized Steel)
SOLI_F_00006254	Lintel Straight Perforated	150	50	1.80	2000	GI (Galvanized Steel)
SOLI_F_00006262	Lintel Straight Perforated	150	50	1.80	2100	GI (Galvanized Steel)
SOLI_F_00006270	Lintel Straight Perforated	150	50	1.80	2200	GI (Galvanized Steel)
SOLI_F_00006278	Lintel Straight Perforated	150	50	1.80	2300	GI (Galvanized Steel)
SOLI_F_00051245	Lintel Straight Perforated	150	50	1.80	2347	GI (Galvanized Steel)
SOLI_F_00006286	Lintel Straight Perforated	150	50	1.80	2400	GI (Galvanized Steel)
SOLI_F_00006294	Lintel Straight Perforated	150	50	1.80	2500	GI (Galvanized Steel)
SOLI_F_00006302	Lintel Straight Perforated	150	50	1.80	2600	GI (Galvanized Steel)
SOLI_F_00006310	Lintel Straight Perforated	150	50	1.80	2700	GI (Galvanized Steel)
SOLI_F_00006318	Lintel Straight Perforated	150	50	1.80	2800	GI (Galvanized Steel)
SOLI_F_00006326	Lintel Straight Perforated	150	50	1.80	2900	GI (Galvanized Steel)
SOLI_F_00006334	Lintel Straight Perforated	150	50	1.80	3000	GI (Galvanized Steel)
SOLI_F_00077209	Lintel Straight Perforated	150	50	1.80	750	GI (Galvanized Steel)
SOLI_F_00077217	Lintel Straight Perforated	150	50	1.80	800	GI (Galvanized Steel)
SOLI_F_00047252	Lintel Straight Perforated	150	50	1.80	850	GI (Galvanized Steel)
SOLI_F_00094705	Lintel Straight Perforated	150	50	1.80	900	GI (Galvanized Steel)
SOLI_F_00006342	Lintel Straight Perforated	150	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00006350	Lintel Straight Perforated	150	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00006358	Lintel Straight Perforated	150	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00079739	Lintel Straight Perforated	150	50	2.00	1250	GI (Galvanized Steel)
SOLI_F_00006366	Lintel Straight Perforated	150	50	2.00	1300	GI (Galvanized Steel)
SOLI_F_00006374	Lintel Straight Perforated	150	50	2.00	1400	GI (Galvanized Steel)
SOLI_F_00006382	Lintel Straight Perforated	150	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00060265	Lintel Straight Perforated	150	50	2.00	1600	GI (Galvanized Steel)
SOLI_F_00006398	Lintel Straight Perforated	150	50	2.00	1700	GI (Galvanized Steel)
SOLI_F_00006406	Lintel Straight Perforated	150	50	2.00	1800	GI (Galvanized Steel)
SOLI_F_00006414	Lintel Straight Perforated	150	50	2.00	1900	GI (Galvanized Steel)
SOLI_F_00006422	Lintel Straight Perforated	150	50	2.00	2000	GI (Galvanized Steel)
SOLI_F_00006430	Lintel Straight Perforated	150	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00006438	Lintel Straight Perforated	150	50	2.00	2200	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00006446	Lintel Straight Perforated	150	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00006454	Lintel Straight Perforated	150	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00006462	Lintel Straight Perforated	150	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00006470	Lintel Straight Perforated	150	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00006478	Lintel Straight Perforated	150	50	2.00	2700	GI (Galvanized Steel)
SOLI_F_00006486	Lintel Straight Perforated	150	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00006494	Lintel Straight Perforated	150	50	2.00	2900	GI (Galvanized Steel)
SOLI_F_00006502	Lintel Straight Perforated	150	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00094729	Lintel Straight Perforated	150	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00094721	Lintel Straight Perforated	150	50	2.00	800	GI (Galvanized Steel)
SOLI_F_00077471	Lintel Straight Perforated	150	50	2.00	1800	GI (Galvanized Steel)
SOLI_F_00006534	Lintel Straight Perforated	150	50	2.50	1300	GI (Galvanized Steel)
SOLI_F_00006542	Lintel Straight Perforated	150	50	2.50	1400	GI (Galvanized Steel)
SOLI_F_00006550	Lintel Straight Perforated	150	50	2.50	1500	GI (Galvanized Steel)
SOLI_F_00006558	Lintel Straight Perforated	150	50	2.50	1600	GI (Galvanized Steel)
SOLI_F_00006566	Lintel Straight Perforated	150	50	2.50	1700	GI (Galvanized Steel)
SOLI_F_00006670	Lintel Straight Perforated	150	50	2.50	1800	GI (Galvanized Steel)
SOLI_F_00006574	Lintel Straight Perforated	150	50	2.50	1900	GI (Galvanized Steel)
SOLI_F_00006582	Lintel Straight Perforated	150	50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00006590	Lintel Straight Perforated	150	50	2.50	2100	GI (Galvanized Steel)
SOLI_F_00006598	Lintel Straight Perforated	150	50	2.50	2200	GI (Galvanized Steel)
SOLI_F_00006606	Lintel Straight Perforated	150	50	2.50	2300	GI (Galvanized Steel)
SOLI_F_00006614	Lintel Straight Perforated	150	50	2.50	2400	GI (Galvanized Steel)
SOLI_F_00006622	Lintel Straight Perforated	150	50	2.50	2500	GI (Galvanized Steel)
SOLI_F_00006630	Lintel Straight Perforated	150	50	2.50	2600	GI (Galvanized Steel)
SOLI_F_00006638	Lintel Straight Perforated	150	50	2.50	2700	GI (Galvanized Steel)
SOLI_F_00006646	Lintel Straight Perforated	150	50	2.50	2800	GI (Galvanized Steel)
SOLI_F_00006654	Lintel Straight Perforated	150	50	2.50	299	GI (Galvanized Steel)
SOLI_F_00006662	Lintel Straight Perforated	150	50	2.50	3000	GI (Galvanized Steel)
SOLI_F_00006846	Lintel Straight Perforated	150	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00006854	Lintel Straight Perforated	150	50	3.00	1100	GI (Galvanized Steel)
SOLI_F_00006862	Lintel Straight Perforated	150	50	3.00	1200	GI (Galvanized Steel)
SOLI_F_00006870	Lintel Straight Perforated	150	50	3.00	1300	GI (Galvanized Steel)
SOLI_F_00006878	Lintel Straight Perforated	150	50	3.00	1400	GI (Galvanized Steel)
SOLI_F_00006886	Lintel Straight Perforated	150	50	3.00	1500	GI (Galvanized Steel)
SOLI_F_00006894	Lintel Straight Perforated	150	50	3.00	1600	GI (Galvanized Steel)
SOLI_F_00006902	Lintel Straight Perforated	150	50	3.00	1700	GI (Galvanized Steel)
SOLI_F_00006910	Lintel Straight Perforated	150	50	3.00	1800	GI (Galvanized Steel)
SOLI_F_00006918	Lintel Straight Perforated	150	50	3.00	1900	GI (Galvanized Steel)
SOLI_F_00006926	Lintel Straight Perforated	150	50	3.00	2000	GI (Galvanized Steel)
SOLI_F_00006934	Lintel Straight Perforated	150	50	3.00	2100	GI (Galvanized Steel)
SOLI_F_00006942	Lintel Straight Perforated	150	50	3.00	2200	GI (Galvanized Steel)
SOLI_F_00006950	Lintel Straight Perforated	150	50	3.00	2300	GI (Galvanized Steel)
SOLI_F_00006958	Lintel Straight Perforated	150	50	3.00	2400	GI (Galvanized Steel)



Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00006966	Lintel Straight Perforated	150	50	3.00	2500	GI (Galvanized Steel)
SOLI_F_00006974	Lintel Straight Perforated	150	50	3.00	2600	GI (Galvanized Steel)
SOLI_F_00006982	Lintel Straight Perforated	150	50	3.00	2700	GI (Galvanized Steel)
SOLI_F_00006996	Lintel Straight Perforated	150	50	3.00	2800	GI (Galvanized Steel)
SOLI_F_00007004	Lintel Straight Perforated	150	50	3.00	2900	GI (Galvanized Steel)
SOLI_F_00007012	Lintel Straight Perforated	150	50	3.00	3000	GI (Galvanized Steel)
SOLI_F_00063739	Lintel Straight Perforated	150	50	3.70	2400	GI (Galvanized Steel)
SOLI_F_00064825	Lintel Straight Perforated	150	50	3.80	1200	GI (Galvanized Steel)
SOLI_F_00070789	Lintel Straight Perforated	150	50	3.80	1400	GI (Galvanized Steel)
SOLI_F_00007020	Lintel Straight Perforated	150	50	4.00	1400	GI (Galvanized Steel)
SOLI_F_00007028	Lintel Straight Perforated	150	50	4.00	1500	GI (Galvanized Steel)
SOLI_F_00007036	Lintel Straight Perforated	150	50	4.00	1600	GI (Galvanized Steel)
SOLI_F_00007044	Lintel Straight Perforated	150	50	4.00	1700	GI (Galvanized Steel)
SOLI_F_00007052	Lintel Straight Perforated	150	50	4.00	1800	GI (Galvanized Steel)
SOLI_F_00007060	Lintel Straight Perforated	150	50	4.00	1900	GI (Galvanized Steel)
SOLI_F_00007076	Lintel Straight Perforated	150	50	4.00	2000	GI (Galvanized Steel)
SOLI_F_00007084	Lintel Straight Perforated	150	50	4.00	2100	GI (Galvanized Steel)
SOLI_F_00007092	Lintel Straight Perforated	150	50	4.00	2200	GI (Galvanized Steel)
SOLI_F_00007100	Lintel Straight Perforated	150	50	4.00	2300	GI (Galvanized Steel)
SOLI_F_00007108	Lintel Straight Perforated	150	50	4.00	2400	GI (Galvanized Steel)
SOLI_F_00007116	Lintel Straight Perforated	150	50	4.00	2500	GI (Galvanized Steel)
SOLI_F_00007132	Lintel Straight Perforated	150	50	4.00	2600	GI (Galvanized Steel)
SOLI_F_00007140	Lintel Straight Perforated	150	50	4.00	2700	GI (Galvanized Steel)
SOLI_F_00007148	Lintel Straight Perforated	150	50	4.00	2800	GI (Galvanized Steel)
SOLI_F_00007156	Lintel Straight Perforated	150	50	4.00	2900	GI (Galvanized Steel)
SOLI_F_00007172	Lintel Straight Perforated	150	50	4.00	3000	GI (Galvanized Steel)
SOLI_F_00114207	Lintel Straight Perforated	150	60	3.00	900	GI (Galvanized Steel)
SOLI_F_00007244	Lintel Straight Perforated	150	75	1.80	1400	GI (Galvanized Steel)
SOLI_F_00059947	Lintel Straight Perforated	150	75	2.00	1300	GI (Galvanized Steel)
SOLI_F_00007396	Lintel Straight Perforated	150	75	2.00	1400	GI (Galvanized Steel)
SOLI_F_00059939	Lintel Straight Perforated	150	75	2.00	1500	GI (Galvanized Steel)
SOLI_F_00082599	Lintel Straight Perforated	150	75	2.00	1530	GI (Galvanized Steel)
SOLI_F_00082607	Lintel Straight Perforated	150	75	2.00	1570	GI (Galvanized Steel)
SOLI_F_00082615	Lintel Straight Perforated	150	75	2.00	1600	GI (Galvanized Steel)
SOLI_F_00007388	Lintel Straight Perforated	150	75	2.00	1800	GI (Galvanized Steel)
SOLI_F_00007380	Lintel Straight Perforated	150	75	2.00	2000	GI (Galvanized Steel)
SOLI_F_00007716	Lintel Straight Perforated	150	75	2.50	1000	GI (Galvanized Steel)
SOLI_F_00052497	Lintel Straight Perforated	150	75	2.50	1500	GI (Galvanized Steel)
SOLI_F_00052505	Lintel Straight Perforated	150	75	2.50	1550	GI (Galvanized Steel)
SOLI_F_00072973	Lintel Straight Perforated	150	75	2.50	1800	GI (Galvanized Steel)
SOLI_F_00007700	Lintel Straight Perforated	150	75	2.50	2000	GI (Galvanized Steel)
SOLI_F_00007756	Lintel Straight Perforated	150	75	2.50	2600	GI (Galvanized Steel)
SOLI_F_00052859	Lintel Straight Perforated	150	75	2.50	3000	GI (Galvanized Steel)
SOLI_F_00058149	Lintel Straight Perforated	150	75	3.00	1320	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00008012	Lintel Straight Perforated	150	75	3.00	1400	GI (Galvanized Steel)
SOLI_F_00007932	Lintel Straight Perforated	150	75	3.00	2400	GI (Galvanized Steel)
SOLI_F_00039654	Lintel Straight Perforated	150	75	3.00	2500	GI (Galvanized Steel)
SOLI_F_00052513	Lintel Straight Perforated	150	75	3.00	2800	GI (Galvanized Steel)
SOLI_F_00008308	Lintel Straight Perforated	150	75	4.00	1000	GI (Galvanized Steel)
SOLI_F_00008316	Lintel Straight Perforated	150	75	4.00	1300	GI (Galvanized Steel)
SOLI_F_00008292	Lintel Straight Perforated	150	75	4.00	1500	GI (Galvanized Steel)
SOLI_F_00008300	Lintel Straight Perforated	150	75	4.00	1600	GI (Galvanized Steel)
SOLI_F_00073647	Lintel Straight Perforated	150	75	4.00	1850	GI (Galvanized Steel)
SOLI_F_00008324	Lintel Straight Perforated	150	75	4.00	2000	GI (Galvanized Steel)
SOLI_F_00008332	Lintel Straight Perforated	150	75	4.00	2200	GI (Galvanized Steel)
SOLI_F_00095725	Lintel Straight Perforated	190	100	2.00	2000	GI (Galvanized Steel)
SOLI_F_00095733	Lintel Straight Perforated	190	100	3.00	2500	GI (Galvanized Steel)
SOLI_F_00095701	Lintel Straight Perforated	190	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00095709	Lintel Straight Perforated	190	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00095717	Lintel Straight Perforated	190	50	2.00	1700	GI (Galvanized Steel)
SOLI_F_00039598	Lintel Straight Perforated	200	100	1.80	1000	GI (Galvanized Steel)
SOLI_F_00050261	Lintel Straight Perforated	200	100	1.80	1100	GI (Galvanized Steel)
SOLI_F_00039606	Lintel Straight Perforated	200	100	1.80	1200	GI (Galvanized Steel)
SOLI_F_00050269	Lintel Straight Perforated	200	100	1.80	1300	GI (Galvanized Steel)
SOLI_F_00039590	Lintel Straight Perforated	200	100	1.80	1400	GI (Galvanized Steel)
SOLI_F_00050277	Lintel Straight Perforated	200	100	1.80	1500	GI (Galvanized Steel)
SOLI_F_00039614	Lintel Straight Perforated	200	100	1.80	1600	GI (Galvanized Steel)
SOLI_F_00050301	Lintel Straight Perforated	200	100	1.80	1700	GI (Galvanized Steel)
SOLI_F_00050245	Lintel Straight Perforated	200	100	1.80	1900	GI (Galvanized Steel)
SOLI_F_00039622	Lintel Straight Perforated	200	100	1.80	2000	GI (Galvanized Steel)
SOLI_F_00050253	Lintel Straight Perforated	200	100	1.80	2200	GI (Galvanized Steel)
SOLI_F_00039630	Lintel Straight Perforated	200	100	1.80	2300	GI (Galvanized Steel)
SOLI_F_00050237	Lintel Straight Perforated	200	100	1.80	2600	GI (Galvanized Steel)
SOLI_F_00050285	Lintel Straight Perforated	200	100	1.80	2800	GI (Galvanized Steel)
SOLI_F_00008688	Lintel Straight Perforated	200	100	1.80	3000	GI (Galvanized Steel)
SOLI_F_00008526	Lintel Straight Perforated	200	100	2.00	1900	GI (Galvanized Steel)
SOLI_F_00107761	Lintel Straight Perforated	200	100	2.00	2200	GI (Galvanized Steel)
SOLI_F_00008558	Lintel Straight Perforated	200	100	2.00	2400	GI (Galvanized Steel)
SOLI_F_00008566	Lintel Straight Perforated	200	100	2.00	3000	GI (Galvanized Steel)
SOLI_F_00063611	Lintel Straight Perforated	200	100	2.30	1900	GI (Galvanized Steel)
SOLI_F_00063603	Lintel Straight Perforated	200	100	2.30	2400	GI (Galvanized Steel)
SOLI_F_00008614	Lintel Straight Perforated	200	100	2.50	1500	GI (Galvanized Steel)
SOLI_F_00008680	Lintel Straight Perforated	200	100	2.50	1600	GI (Galvanized Steel)
SOLI_F_00058207	Lintel Straight Perforated	200	100	2.50	1800	GI (Galvanized Steel)
SOLI_F_00008606	Lintel Straight Perforated	200	100	2.50	2000	GI (Galvanized Steel)
SOLI_F_00058199	Lintel Straight Perforated	200	100	2.50	2100	GI (Galvanized Steel)
SOLI_F_00008574	Lintel Straight Perforated	200	100	2.50	2200	GI (Galvanized Steel)
SOLI_F_00078437	Lintel Straight Perforated	200	100	2.50	2300	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00008582	Lintel Straight Perforated	200	100	2.50	2400	GI (Galvanized Steel)
SOLI_F_00008622	Lintel Straight Perforated	200	100	2.50	2500	GI (Galvanized Steel)
SOLI_F_00039672	Lintel Straight Perforated	200	100	2.50	3000	GI (Galvanized Steel)
SOLI_F_00063867	Lintel Straight Perforated	200	100	2.80	2100	GI (Galvanized Steel)
SOLI_F_00089933	Lintel Straight Perforated	200	100	3.00	1300	GI (Galvanized Steel)
SOLI_F_00089885	Lintel Straight Perforated	200	100	3.00	1400	GI (Galvanized Steel)
SOLI_F_00091729	Lintel Straight Perforated	200	100	3.00	1450	GI (Galvanized Steel)
SOLI_F_00089893	Lintel Straight Perforated	200	100	3.00	1500	GI (Galvanized Steel)
SOLI_F_00089901	Lintel Straight Perforated	200	100	3.00	1600	GI (Galvanized Steel)
SOLI_F_00089941	Lintel Straight Perforated	200	100	3.00	1700	GI (Galvanized Steel)
SOLI_F_00074575	Lintel Straight Perforated	200	100	3.00	1800	GI (Galvanized Steel)
SOLI_F_00089925	Lintel Straight Perforated	200	100	3.00	1900	GI (Galvanized Steel)
SOLI_F_00091753	Lintel Straight Perforated	200	100	3.00	1950	GI (Galvanized Steel)
SOLI_F_00074893	Lintel Straight Perforated	200	100	3.00	2000	GI (Galvanized Steel)
SOLI_F_00093871	Lintel Straight Perforated	200	100	3.00	2050	GI (Galvanized Steel)
SOLI_F_00107843	Lintel Straight Perforated	200	100	3.00	2200	GI (Galvanized Steel)
SOLI_F_00093831	Lintel Straight Perforated	200	100	3.00	2250	GI (Galvanized Steel)
SOLI_F_00052589	Lintel Straight Perforated	200	100	3.00	2400	GI (Galvanized Steel)
SOLI_F_00093839	Lintel Straight Perforated	200	100	3.00	2450	GI (Galvanized Steel)
SOLI_F_00042398	Lintel Straight Perforated	200	100	3.00	2500	GI (Galvanized Steel)
SOLI_F_00105937	Lintel Straight Perforated	200	100	3.00	2840	GI (Galvanized Steel)
SOLI_F_00089917	Lintel Straight Perforated	200	100	4.00	2200	GI (Galvanized Steel)
SOLI_F_00089909	Lintel Straight Perforated	200	100	4.00	2400	GI (Galvanized Steel)
SOLI_F_00097917	Lintel Straight Perforated	200	110	1.80	2100	GI (Galvanized Steel)
SOLI_F_00097925	Lintel Straight Perforated	200	120	1.80	2200	GI (Galvanized Steel)
SOLI_F_00109621	Lintel Straight Perforated	200	125	1.80	2250	GI (Galvanized Steel)
SOLI_F_00064455	Lintel Straight Perforated	200	125	2.00	2300	GI (Galvanized Steel)
SOLI_F_00105921	Lintel Straight Perforated	200	125	3.00	3000	GI (Galvanized Steel)
SOLI_F_00097933	Lintel Straight Perforated	200	130	1.80	2400	GI (Galvanized Steel)
SOLI_F_00097941	Lintel Straight Perforated	200	130	1.80	2450	GI (Galvanized Steel)
SOLI_F_00109589	Lintel Straight Perforated	200	150	1.80	2450	GI (Galvanized Steel)
SOLI_F_00109613	Lintel Straight Perforated	200	150	1.80	3000	GI (Galvanized Steel)
SOLI_F_00108857	Lintel Straight Perforated	200	150	2.00	2200	GI (Galvanized Steel)
SOLI_F_00114731	Lintel Straight Perforated	200	150	2.00	2400	GI (Galvanized Steel)
SOLI_F_00097949	Lintel Straight Perforated	200	150	2.50	2800	GI (Galvanized Steel)
SOLI_F_00097957	Lintel Straight Perforated	200	150	2.80	3000	GI (Galvanized Steel)
SOLI_F_00074901	Lintel Straight Perforated	200	150	3.00	2200	GI (Galvanized Steel)
SOLI_F_00058191	Lintel Straight Perforated	200	150	3.00	2400	GI (Galvanized Steel)
SOLI_F_00099973	Lintel Straight Perforated	200	150	3.00	2450	GI (Galvanized Steel)
SOLI_F_00041580	Lintel Straight Perforated	200	150	3.00	2800	GI (Galvanized Steel)
SOLI_F_00103133	Lintel Straight Perforated	200	150	3.00	4000	GI (Galvanized Steel)
SOLI_F_00103141	Lintel Straight Perforated	200	150	3.00	4300	GI (Galvanized Steel)
SOLI_F_00108521	Lintel Straight Perforated	200	150	3.00	4400	GI (Galvanized Steel)
SOLI_F_00052605	Lintel Straight Perforated	200	150	4.00	2800	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005590	Lintel Straight Perforated	200	50	1.50	1000	GI (Galvanized Steel)
SOLI_F_00005598	Lintel Straight Perforated	200	50	1.50	1100	GI (Galvanized Steel)
SOLI_F_00005606	Lintel Straight Perforated	200	50	1.50	1200	GI (Galvanized Steel)
SOLI_F_00005614	Lintel Straight Perforated	200	50	1.50	1300	GI (Galvanized Steel)
SOLI_F_00005622	Lintel Straight Perforated	200	50	1.50	1400	GI (Galvanized Steel)
SOLI_F_00005630	Lintel Straight Perforated	200	50	1.50	1500	GI (Galvanized Steel)
SOLI_F_00005678	Lintel Straight Perforated	200	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00006030	Lintel Straight Perforated	200	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00065957	Lintel Straight Perforated	200	50	1.80	1150	GI (Galvanized Steel)
SOLI_F_00006038	Lintel Straight Perforated	200	50	1.80	1200	GI (Galvanized Steel)
SOLI_F_00102679	Lintel Straight Perforated	200	50	1.80	1240	GI (Galvanized Steel)
SOLI_F_00050339	Lintel Straight Perforated	200	50	1.80	1250	GI (Galvanized Steel)
SOLI_F_00006046	Lintel Straight Perforated	200	50	1.80	1300	GI (Galvanized Steel)
SOLI_F_00104475	Lintel Straight Perforated	200	50	1.80	1340	GI (Galvanized Steel)
SOLI_F_00106985	Lintel Straight Perforated	200	50	1.80	1350	GI (Galvanized Steel)
SOLI_F_00006054	Lintel Straight Perforated	200	50	1.80	1400	GI (Galvanized Steel)
SOLI_F_00067361	Lintel Straight Perforated	200	50	1.80	1450	GI (Galvanized Steel)
SOLI_F_00006062	Lintel Straight Perforated	200	50	1.80	1500	GI (Galvanized Steel)
SOLI_F_00106993	Lintel Straight Perforated	200	50	1.80	1550	GI (Galvanized Steel)
SOLI_F_00006070	Lintel Straight Perforated	200	50	1.80	1600	GI (Galvanized Steel)
SOLI_F_00006078	Lintel Straight Perforated	200	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00005950	Lintel Straight Perforated	200	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00005958	Lintel Straight Perforated	200	50	2.00	2200	GI (Galvanized Steel)
SOLI_F_00005966	Lintel Straight Perforated	200	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00005974	Lintel Straight Perforated	200	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00005982	Lintel Straight Perforated	200	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00005990	Lintel Straight Perforated	200	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00005998	Lintel Straight Perforated	200	50	2.00	2700	GI (Galvanized Steel)
SOLI_F_00006006	Lintel Straight Perforated	200	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00006014	Lintel Straight Perforated	200	50	2.00	2900	GI (Galvanized Steel)
SOLI_F_00006022	Lintel Straight Perforated	200	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00072989	Lintel Straight Perforated	200	50	2.00	3200	GI (Galvanized Steel)
SOLI_F_00077487	Lintel Straight Perforated	200	50	2.00	3600	GI (Galvanized Steel)
SOLI_F_00081833	Lintel Straight Perforated	200	50	2.00	4000	GI (Galvanized Steel)
SOLI_F_00081657	Lintel Straight Perforated	200	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00081673	Lintel Straight Perforated	200	50	2.00	750	GI (Galvanized Steel)
SOLI_F_00058215	Lintel Straight Perforated	200	50	2.00	800	GI (Galvanized Steel)
SOLI_F_00077479	Lintel Straight Perforated	200	50	2.40	2000	GI (Galvanized Steel)
SOLI_F_00005694	Lintel Straight Perforated	200	50	2.50	1000	GI (Galvanized Steel)
SOLI_F_00005702	Lintel Straight Perforated	200	50	2.50	1100	GI (Galvanized Steel)
SOLI_F_00005710	Lintel Straight Perforated	200	50	2.50	1200	GI (Galvanized Steel)
SOLI_F_00005718	Lintel Straight Perforated	200	50	2.50	1300	GI (Galvanized Steel)
SOLI_F_00005726	Lintel Straight Perforated	200	50	2.50	1400	GI (Galvanized Steel)
SOLI_F_00005902	Lintel Straight Perforated	200	50	2.50	1500	GI (Galvanized Steel)




Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005742	Lintel Straight Perforated	200	50	2.50	1600	GI (Galvanized Steel)
SOLI_F_00005750	Lintel Straight Perforated	200	50	2.50	1700	GI (Galvanized Steel)
SOLI_F_00005758	Lintel Straight Perforated	200	50	2.50	1800	GI (Galvanized Steel)
SOLI_F_00005766	Lintel Straight Perforated	200	50	2.50	1900	GI (Galvanized Steel)
SOLI_F_00005774	Lintel Straight Perforated	200	50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00005782	Lintel Straight Perforated	200	50	2.50	2100	GI (Galvanized Steel)
SOLI_F_00005790	Lintel Straight Perforated	200	50	2.50	2200	GI (Galvanized Steel)
SOLI_F_00067709	Lintel Straight Perforated	200	50	2.50	2250	GI (Galvanized Steel)
SOLI_F_00005798	Lintel Straight Perforated	200	50	2.50	2300	GI (Galvanized Steel)
SOLI_F_00067697	Lintel Straight Perforated	200	50	2.50	2350	GI (Galvanized Steel)
SOLI_F_00005806	Lintel Straight Perforated	200	50	2.50	2400	GI (Galvanized Steel)
SOLI_F_00005814	Lintel Straight Perforated	200	50	2.50	2500	GI (Galvanized Steel)
SOLI_F_00005822	Lintel Straight Perforated	200	50	2.50	2600	GI (Galvanized Steel)
SOLI_F_00005830	Lintel Straight Perforated	200	50	2.50	2700	GI (Galvanized Steel)
SOLI_F_00005838	Lintel Straight Perforated	200	50	2.50	2800	GI (Galvanized Steel)
SOLI_F_00005854	Lintel Straight Perforated	200	50	2.50	3000	GI (Galvanized Steel)
SOLI_F_00004280	Lintel Straight Perforated	200	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00089909	Lintel Straight Perforated	200	100	4.00	2400	GI (Galvanized Steel)
SOLI_F_00097917	Lintel Straight Perforated	200	110	1.80	2100	GI (Galvanized Steel)
SOLI_F_00097925	Lintel Straight Perforated	200	120	1.80	2200	GI (Galvanized Steel)
SOLI_F_00109621	Lintel Straight Perforated	200	125	1.80	2250	GI (Galvanized Steel)
SOLI_F_00064455	Lintel Straight Perforated	200	125	2.00	2300	GI (Galvanized Steel)
SOLI_F_00105921	Lintel Straight Perforated	200	125	3.00	3000	GI (Galvanized Steel)
SOLI_F_00097933	Lintel Straight Perforated	200	130	1.80	2400	GI (Galvanized Steel)
SOLI_F_00097941	Lintel Straight Perforated	200	130	1.80	2450	GI (Galvanized Steel)
SOLI_F_00109589	Lintel Straight Perforated	200	150	1.80	2450	GI (Galvanized Steel)
SOLI_F_00109613	Lintel Straight Perforated	200	150	1.80	3000	GI (Galvanized Steel)
SOLI_F_00108857	Lintel Straight Perforated	200	150	2.00	2200	GI (Galvanized Steel)
SOLI_F_00114731	Lintel Straight Perforated	200	150	2.00	2400	GI (Galvanized Steel)
SOLI_F_00097949	Lintel Straight Perforated	200	150	2.50	2800	GI (Galvanized Steel)
SOLI_F_00097957	Lintel Straight Perforated	200	150	2.80	3000	GI (Galvanized Steel)
SOLI_F_00074901	Lintel Straight Perforated	200	150	3.00	2200	GI (Galvanized Steel)
SOLI_F_00058191	Lintel Straight Perforated	200	150	3.00	2400	GI (Galvanized Steel)
SOLI_F_00099973	Lintel Straight Perforated	200	150	3.00	2450	GI (Galvanized Steel)
SOLI_F_00041580	Lintel Straight Perforated	200	150	3.00	2800	GI (Galvanized Steel)
SOLI_F_00103133	Lintel Straight Perforated	200	150	3.00	4000	GI (Galvanized Steel)
SOLI_F_00103141	Lintel Straight Perforated	200	150	3.00	4300	GI (Galvanized Steel)
SOLI_F_00108521	Lintel Straight Perforated	200	150	3.00	4400	GI (Galvanized Steel)
SOLI_F_00052605	Lintel Straight Perforated	200	150	4.00	2800	GI (Galvanized Steel)
SOLI_F_00005590	Lintel Straight Perforated	200	50	1.50	1000	GI (Galvanized Steel)
SOLI_F_00005598	Lintel Straight Perforated	200	50	1.50	1100	GI (Galvanized Steel)
SOLI_F_00005606	Lintel Straight Perforated	200	50	1.50	1200	GI (Galvanized Steel)
SOLI_F_00005614	Lintel Straight Perforated	200	50	1.50	1300	GI (Galvanized Steel)
SOLI_F_00005622	Lintel Straight Perforated	200	50	1.50	1400	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005630	Lintel Straight Perforated	200	50	1.50	1500	GI (Galvanized Steel)
SOLI_F_00005678	Lintel Straight Perforated	200	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00006030	Lintel Straight Perforated	200	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00065957	Lintel Straight Perforated	200	50	1.80	1150	GI (Galvanized Steel)
SOLI_F_00006038	Lintel Straight Perforated	200	50	1.80	1200	GI (Galvanized Steel)
SOLI_F_00102679	Lintel Straight Perforated	200	50	1.80	1240	GI (Galvanized Steel)
SOLI_F_00050339	Lintel Straight Perforated	200	50	1.80	1250	GI (Galvanized Steel)
SOLI_F_00006046	Lintel Straight Perforated	200	50	1.80	1300	GI (Galvanized Steel)
SOLI_F_00104475	Lintel Straight Perforated	200	50	1.80	1340	GI (Galvanized Steel)
SOLI_F_00106985	Lintel Straight Perforated	200	50	1.80	1350	GI (Galvanized Steel)
SOLI_F_00006054	Lintel Straight Perforated	200	50	1.80	1400	GI (Galvanized Steel)
SOLI_F_00067361	Lintel Straight Perforated	200	50	1.80	1450	GI (Galvanized Steel)
SOLI_F_00006062	Lintel Straight Perforated	200	50	1.80	1500	GI (Galvanized Steel)
SOLI_F_00106993	Lintel Straight Perforated	200	50	1.80	1550	GI (Galvanized Steel)
SOLI_F_00006070	Lintel Straight Perforated	200	50	1.80	1600	GI (Galvanized Steel)
SOLI_F_00006078	Lintel Straight Perforated	200	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00081657	Lintel Straight Perforated	200	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00081673	Lintel Straight Perforated	200	50	2.00	750	GI (Galvanized Steel)
SOLI_F_00058215	Lintel Straight Perforated	200	50	2.00	800	GI (Galvanized Steel)
SOLI_F_00005950	Lintel Straight Perforated	200	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00005958	Lintel Straight Perforated	200	50	2.00	2200	GI (Galvanized Steel)
SOLI_F_00005966	Lintel Straight Perforated	200	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00005974	Lintel Straight Perforated	200	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00005982	Lintel Straight Perforated	200	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00005990	Lintel Straight Perforated	200	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00005998	Lintel Straight Perforated	200	50	2.00	2700	GI (Galvanized Steel)
SOLI_F_00006006	Lintel Straight Perforated	200	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00006014	Lintel Straight Perforated	200	50	2.00	2900	GI (Galvanized Steel)
SOLI_F_00006022	Lintel Straight Perforated	200	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00072989	Lintel Straight Perforated	200	50	2.00	3200	GI (Galvanized Steel)
SOLI_F_00077487	Lintel Straight Perforated	200	50	2.00	3600	GI (Galvanized Steel)
SOLI_F_00081833	Lintel Straight Perforated	200	50	2.00	4000	GI (Galvanized Steel)
SOLI_F_00081657	Lintel Straight Perforated	200	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00081673	Lintel Straight Perforated	200	50	2.00	750	GI (Galvanized Steel)
SOLI_F_00058215	Lintel Straight Perforated	200	50	2.00	800	GI (Galvanized Steel)
SOLI_F_00077479	Lintel Straight Perforated	200	50	2.40	2000	GI (Galvanized Steel)
SOLI_F_00005694	Lintel Straight Perforated	200	50	2.50	1000	GI (Galvanized Steel)
SOLI_F_00005702	Lintel Straight Perforated	200	50	2.50	1100	GI (Galvanized Steel)
SOLI_F_00005710	Lintel Straight Perforated	200	50	2.50	1200	GI (Galvanized Steel)
SOLI_F_00005718	Lintel Straight Perforated	200	50	2.50	1300	GI (Galvanized Steel)
SOLI_F_00005726	Lintel Straight Perforated	200	50	2.50	1400	GI (Galvanized Steel)
SOLI_F_00005902	Lintel Straight Perforated	200	50	2.50	1500	GI (Galvanized Steel)
SOLI_F_00005742	Lintel Straight Perforated	200	50	2.50	1600	GI (Galvanized Steel)
SOLI_F_00005750	Lintel Straight Perforated	200	50	2.50	1700	GI (Galvanized Steel)
SOLI_F_00005758	Lintel Straight Perforated	200	50	2.50	1800	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005766	Lintel Straight Perforated	200	50	2.50	1900	GI (Galvanized Steel)
SOLI_F_00005774	Lintel Straight Perforated	200	50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00005774	Lintel Straight Perforated		50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00005782	Li intel Straight Perforated	200	50	2.50	2100	GI (Galvanized Steel)
SOLI_F_00005790	Lintel Straight Perforated	200	50	2.50	2200	GI (Galvanized Steel)
SOLI_F_00067709	Lintel Straight Perforated	200	50	2.50	2250	GI (Galvanized Steel)
SOLI_F_00005798	Lintel Straight Perforated	200	50	2.50	2300	GI (Galvanized Steel)
SOLI_F_00067697	Lintel Straight Perforated	200	50	2.50	2350	GI (Galvanized Steel)
SOLI_F_00005806	Lintel Straight Perforated	200	50	2.50	2400	GI (Galvanized Steel)
SOLI_F_00005814	Lintel Straight Perforated	200	50	2.50	2500	GI (Galvanized Steel)
SOLI_F_00005822	Lintel Straight Perforated	200	50	2.50	2600	GI (Galvanized Steel)
SOLI_F_00005830	Lintel Straight Perforated	200	50	2.50	2700	GI (Galvanized Steel)
SOLI_F_00005838	Lintel Straight Perforated	200	50	2.50	2800	GI (Galvanized Steel)
SOLI_F_00005854	Lintel Straight Perforated	200	50	2.50	3000	GI (Galvanized Steel)
SOLI_F_00004280	Lintel Straight Perforated	200	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00104285	Lintel Straight Perforated	250	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00054537	Lintel Straight Perforated	250	50	1.80	1800	GI (Galvanized Steel)
SOLI_F_00071499	Lintel Straight Perforated	250	50	1.80	2000	GI (Galvanized Steel)
SOLI_F_00115783	Lintel Straight Perforated	250	50	1.80	2100	GI (Galvanized Steel)
SOLI_F_00042032	Lintel Straight Perforated	250	50	1.80	2200	GI (Galvanized Steel)
SOLI_F_00080049	Lintel Straight Perforated	250	50	1.80	2300	GI (Galvanized Steel)
SOLI_F_00115791	Lintel Straight Perforated	250	50	1.80	2400	GI (Galvanized Steel)
SOLI_F_00107859	Lintel Straight Perforated	250	50	1.80	2600	GI (Galvanized Steel)
SOLI_F_00048436	Lintel Straight Perforated	250	50	1.80	3000	GI (Galvanized Steel)
SOLI_F_00047572	Lintel Straight Perforated	250	50	2.00	1000	GI (Galvanized Steel)
SOLI_F_00067401	Lintel Straight Perforated	250	50	2.00	1100	GI (Galvanized Steel)
SOLI_F_00042406	Lintel Straight Perforated	250	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00081625	Lintel Straight Perforated	250	50	2.00	1300	GI (Galvanized Steel)
SOLI_F_00092659	Lintel Straight Perforated	250	50	2.00	1350	GI (Galvanized Steel)
SOLI_F_00079629	Lintel Straight Perforated	250	50	2.00	1400	GI (Galvanized Steel)
SOLI_F_00081633	Lintel Straight Perforated	250	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00081641	Lintel Straight Perforated	250	50	2.00	1600	GI (Galvanized Steel)
SOLI_F_00047548	Lintel Straight Perforated	250	50	2.00	1700	GI (Galvanized Steel)
SOLI_F_00054807	Lintel Straight Perforated	250	50	2.00	1800	GI (Galvanized Steel)
SOLI_F_00062845	Lintel Straight Perforated	250	50	2.00	2000	GI (Galvanized Steel)
SOLI_F_00047556	Lintel Straight Perforated	250	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00062885	Lintel Straight Perforated	250	50	2.00	2150	GI (Galvanized Steel)
SOLI_F_00062861	Lintel Straight Perforated	250	50	2.00	2200	GI (Galvanized Steel)
SOLI_F_00062877	Lintel Straight Perforated	250	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00045814	Lintel Straight Perforated	250	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00047564	Lintel Straight Perforated	250	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00062869	Lintel Straight Perforated	250	50	2.00	2550	GI (Galvanized Steel)
SOLI_F_00079637	Lintel Straight Perforated	250	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00079645	Lintel Straight Perforated	250	50	2.00	2800	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00079637	Lintel Straight Perforated	250	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00079645	Lintel Straight Perforated	250	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00077241	Lintel Straight Perforated	250	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00067409	Lintel Straight Perforated	250	50	2.00	3100	GI (Galvanized Steel)
SOLI_F_00112767	Lintel Straight Perforated	250	50	2.80	1200	GI (Galvanized Steel)
SOLI_F_00086489	Lintel Straight Perforated	250	50	2.80	2000	GI (Galvanized Steel)
SOLI_F_00086575	Lintel Straight Perforated	250	50	2.80	2100	GI (Galvanized Steel)
SOLI_F_00086567	Lintel Straight Perforated	250	50	2.80	2600	GI (Galvanized Steel)
SOLI_F_00063181	Lintel Straight Perforated	250	50	2.80	2900	GI (Galvanized Steel)
SOLI_F_00064473	Lintel Straight Perforated	250	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00042342	Lintel Straight Perforated	250	50	3.00	1200	GI (Galvanized Steel)
SOLI_F_00061935	Lintel Straight Perforated	250	50	3.00	3000	GI (Galvanized Steel)
SOLI_F_00076963	Lintel Straight Perforated	250	50	3.00	3150	GI (Galvanized Steel)
SOLI_F_00076953	Lintel Straight Perforated	250	50	3.00	3750	GI (Galvanized Steel)
SOLI_F_00051275	Lintel Straight Perforated	250	75	1.80	1410	GI (Galvanized Steel)
SOLI_F_00007252	Lintel Straight Perforated	250	75	1.80	1440	GI (Galvanized Steel)
SOLI_F_00065233	Lintel Straight Perforated	250	75	1.80	1500	GI (Galvanized Steel)
SOLI_F_00051267	Lintel Straight Perforated	250	75	1.80	1800	GI (Galvanized Steel)
SOLI_F_00086765	Lintel Straight Perforated	250	75	1.80	1950	GI (Galvanized Steel)
SOLI_F_00051283	Lintel Straight Perforated	250	75	1.80	2040	GI (Galvanized Steel)
SOLI_F_00051291	Lintel Straight Perforated	250	75	1.80	2440	GI (Galvanized Steel)
SOLI_F_00007516	Lintel Straight Perforated	250	75	2.00	1400	GI (Galvanized Steel)
SOLI_F_00007420	Lintel Straight Perforated	250	75	2.00	1440	GI (Galvanized Steel)
SOLI_F_00107829	Lintel Straight Perforated	250	75	2.00	1500	GI (Galvanized Steel)
SOLI_F_00107811	Lintel Straight Perforated	250	75	2.00	1550	GI (Galvanized Steel)
SOLI_F_00007508	Lintel Straight Perforated	250	75	2.00	1600	GI (Galvanized Steel)
SOLI_F_00007340	Lintel Straight Perforated	250	75	2.00	1800	GI (Galvanized Steel)
SOLI_F_00103233	Lintel Straight Perforated	250	75	2.00	1950	GI (Galvanized Steel)
SOLI_F_00007500	Lintel Straight Perforated	250	75	2.00	2400	GI (Galvanized Steel)
SOLI_F_00007348	Lintel Straight Perforated	250	75	2.00	2440	GI (Galvanized Steel)
SOLI_F_00007556	Lintel Straight Perforated	250	75	2.00	3000	GI (Galvanized Steel)
SOLI_F_00007620	Lintel Straight Perforated	250	75	2.50	1300	GI (Galvanized Steel)
SOLI_F_00007652	Lintel Straight Perforated	250	75	2.50	1400	GI (Galvanized Steel)
SOLI_F_00007668	Lintel Straight Perforated	250	75	2.50	1450	GI (Galvanized Steel)
SOLI_F_00007212	Lintel Straight Perforated	250	75	2.50	1500	GI (Galvanized Steel)
SOLI_F_00007594	Lintel Straight Perforated	250	75	2.50	1600	GI (Galvanized Steel)
SOLI_F_00007204	Lintel Straight Perforated	250	75	2.50	1700	GI (Galvanized Steel)
SOLI_F_00007740	Lintel Straight Perforated	250	75	2.50	2000	GI (Galvanized Steel)
SOLI_F_00059717	Lintel Straight Perforated	250	75	2.50	2800	GI (Galvanized Steel)
SOLI_F_00054629	Lintel Straight Perforated	250	75	2.80	1000	GI (Galvanized Steel)
SOLI_F_00054597	Lintel Straight Perforated	250	75	2.80	1400	GI (Galvanized Steel)
SOLI_F_00054605	Lintel Straight Perforated	250	75	2.80	1600	GI (Galvanized Steel)
SOLI_F_00007804	Lintel Straight Perforated	250	75	2.80	3000	GI (Galvanized Steel)
SOLI_F_00086953	Lintel Straight Perforated	250	75	2.80	4000	GI (Galvanized Steel)





[www.sfsp-ikk.com](http://www.sfsp-ikk.com)

# LOCATIONS

## KINGDOM OF SAUDI ARABIA

unitech.ksa@ikkgroup.com

### Jeddah

Tel : +966 12 627 8222  
Fax: +966 12 627 8722

### Mak kah/Taif

Tel : +966 12 541 1206  
Fax: +966 12 532 1675

### Riyadh

Tel : +966 11 292 8200  
Fax: +966 11 456 6627

### Qassim / Buraidah

Tel : +966 16 382 3946  
Fax: +966 16 385 2186

### Skakah / Qurayyat

Tel : +966 14 626 3904  
Fax: +966 14 626 3905

### Tabuk

Tel : +966 14 423 5203  
Fax: +966 14 423 5203

### Khamis Mushayt

Tel : +966 17 237 5929  
Fax: +966 17 237 8783

### Gizan

Tel : +966 17 321 6660  
Fax: +966 17 321 0665

### Mad inah

Tel : +966 14 842 1095  
Fax: +966 14 842 1090

### Yanbu

Tel : +966 14 390 1499  
Fax: +966 14 322 7101

### Dammam

Tel : +966 13 859 0097  
Fax: +966 13 857 8177

### Jubail

Tel : +966 13 361 4390  
Fax: +966 13 362 4499

### Hofuf

Tel : +966 13 530 1474  
Fax: +966 13 530 7144

## FACTORIES

### SFSP - KSA

sfsp.jeddah@ikkgroup.com

Specialized Factory for Steel Products  
**3rd Industrial City / Jeddah**

Tel: +966 12 637 4482  
Fax: +966 12 636 1963

### SFSP / UAE

sfsp.uae@ikkgroup.com

SIGMA Factory for Steel Products  
**DIC (Dubai Industrial City)**

Tel : +971 4 818 1919

### SFSP / Egypt

sfsp.cairo@ikkgroup.com

Specialized Factory for Steel Products  
**6th of October City Giza**

Tel : +20 2 3820 6477  
Fax: +20 2 3820 6036

### SFSP / Lebanon

sfsp.lebanon@ikkgroup.com

Specialized Factory for Steel Products  
**Tanayel, Bekaa**

Tel: +961 8 514 290  
Fax: +961 8 514 291

## BAHRAIN

unitech.bahrain@ikkgroup.com

### Manama

Tel : +973 17 874 897  
Fax: +973 17 789 470

## KUWAIT

unitech.kuwait@ikkgroup.com

### Kuwait City

Tel : +965 2 4924 937  
Fax: +965 2 4924 938

## UNITED ARAB EMIRATES

unitech.uae@ikkgroup.com

### Dubai - Al Rashidiyah

Tel : +971 4 2591 773  
Fax: +971 4 2591 774

### Abu Dhabi - Musaffah

Tel: +971 2 552 3393  
Fax: +971 2 552 5499

## OMAN

unitech.oman@ikkgroup.com

### Muscat

Tel : +968 24 591 006  
Fax : +968 24 597 006

## JORDAN

unitech.jordan@ikkgroup.com

### Amman

Tel : +962 6 556 3030  
Fax: +962 6 554 7911

### Aqaba

Tel : +962 6 556 3030  
Fax: +962 6 554 7911

## PAKISTAN

unitech.pakistan@ikkgroup.com

### Lahore - Punjab

Tel: +92 42 32301578

## ENGINEERING, DESIGN, MARKETING & MULTIMEDIA

### Unitech Deutschland GmbH

#### Germany

unitech.germany@ikkgroup.com

### Stuttgart

Tel : +49 711 6868 7222  
Fax: +49 711 6868 7223

### Multi-D s.a.r.l

#### Lebanon

multi-d@ikkgroup.com

### Multi-d Beirut

Tel : +961 1 841 155  
Fax: +961 1 841 156

## EGYPT

unitech.egypt@ikkgroup.com

### Cairo 6<sup>th</sup> of October City


Tel : +20 2 3820 6477  
Fax: +20 2 3820 6036

## LEBANON

unitech.lebanon@ikkgroup.com

### Beirut

Tel : +961 1 858 277  
Fax: +961 1 858 276



**LOCATIONS**

SFSP makes every effort to maintain the accuracy and quality of the information provided in this Catalogue.

However, SFSP cannot guarantee and assumes legal liability or responsibility for the accuracy or completeness of the information provided.

Whilst every care has been exercised in the preparation of this catalogue to ensure that any advice, recommendations or information is accurate, no liability or responsibility of any kind is accepted.

Project working details should be entrusted to appropriately qualified and experienced persons, case by case.

With a policy of continuous product development, SFSP may modify product design and specification without due notice.

In case of any questions or remarks, feel free to contact the R&D Department.

**DISTRIBUTED BY:**



[www.sfsp-ikk.com](http://www.sfsp-ikk.com)